

PROFESSIONAL

ARBORIST SUPPLIES CATALOG

TABLE OF CONTENTS

SAMSON CLIMBING ROPE	3
NEW ENGLAND / PELICAN CLIMBING ROPE	4
SAMSON / PELICAN RIGGING ROPE	5
ROPE AND ACCESSORY BAGS	6
THROW WEIGHTS AND LINE	7
WEAVER LEATHER POSITIONING SADDLES	8-10
BUCKINGHAM POSITIONING SADDLES	11
CHAIN SAW STRAPS AND LANYARDS	12
LANYARDS AND FLIPLINES	13
BUCKINGHAM CLIMBERS	14
CLIMBER HARDWARE AND ACCESSORIES	15
SILKY SAWS	16
FANNO / MARVIN PRUNING SAWS	17
FRED MARVIN PRUNERS	18-19
WEAVER LEATHER SCABBARD	20
CARABINERS/HARDWARE	21-23
GIBBS / CMI ASCENDERS	24
PULLEYS AND RIGGING BLOCKS	25
RIGGING ACCESSORIES	26
ELK RIVER PRODUCTS	27
WEAVER LEATHER HOLSTERS AND FIRST AID BAGS	28
OREGON CHAIN & BARS	29
SHARPENING TOOLS AND ACCESSORIES	30
PERSONAL SAFETY	31

THE PRODUCERS OF THIS CATALOG RESERVE THE RIGHT TO CORRECT ANY PRINTING ERRORS IN ITS PUBLICATION

WARNING WARNING WARNING

THE PRODUCTS IN THIS CATALOG ARE INTENDED FOR USE BY TRAINED PROFESSIONAL PERSONNEL IN THE TREE CARE INDUSTY. USE OF THESE PRODUCTS BY INDIVIDUALS NOT PROPERLY TRAINED MAY RESULT IN SERIOUS INJURY OR POSSIBLE DEATH. THE PRODUCERS OF THIS CATALOG ARE NOT RESPONSIBLE FOR THE USE OR MISUSE OF ANY OF THE PRODUCTS IN THIS CATALOG. ALL PRODUCTS ARE PROVIDED FOR USE BY PROFESSIONALLY TRAINED INDIVIDUALS WITH COMPLETE KNOWLEDGE OF THEIR USE AND APPLICATION.

Arbor Master

16-Strand Braided Polyester Construction With Stabilized Nylon Core

World-class champion climbers teamed up with the Samson engineers to develop the ultimate climbing line. The Arbor Master series is built to a full 1/2" diameter and is a premium quality 16-strand line offering a smooth, durable surface to optimize footlock climbing. Manufactured from specially treated polyester with a stabilized nylon core by a proprietary process that ensures the core to perfectly match its jacket and can be confidently sold as a "non-milking" product. It is because of this process the rope is spliceable on both ends.

- Maximum firmness for all climbing techniques
- High visibility in trees - available in 3 color combinations
- Low Stretch
- Full 1/2 " Diameter for easy grip
- Excellent knot/heat resistance

• 8,100 lbs Average Tensile • 7.7 lbs weight per 100' • 810 lbs Working load

Blue Streak: Blue & White

Part #	Put Up
BS12120	120' Poly Bag
BS12150	150' Poly Bag
BS12200	200' Poly Bag
BS12600	600' Reel

Gold Streak: Gold & White

Part #	Put Up
GS12120	120' Poly Bag
GS12150	150' Poly Bag
GS12600	600' Reel

MultiColor: Black, Red & White

Part #	Put Up
MC12120	120' Poly Bag
MC12150	150' Poly Bag
MC12600	600' Reel

Blue Streak, Gold Streak and Multi Color are Available in 150" Lengths With a 5" Spliced Eye - Add S To End Of Part #

True Blue / True White

12 - Strand Braided Series (Solid Color)

True Blue and True White climbing lines are constructed of all polyester with high strength, low stretch, excellent abrasion resistance and a long service life. These climbing lines are identical in construction; however the True Blue has a blue dyed fiber piled over white fiber to assist detection of cover wear. The single braid construction has no core so milking is not an issue. These ropes can also be used for light duty rigging applications.

- 100% polyester
- Low stretch, high strength
- No milking single braid
- Maximum service life
- Can be used for light duty rigging applications

True Blue / True White

• 1.2" diameter • 7,300 lbs average tensile strength
• 8.8 lbs weight per 100' • 730 lbs working load

Part #	Put Up
TB12120	120' Poly Bag
TB12150	150' Poly Bag
TB12600	600' Reel

Part #	Put Up
TW12120	120' Poly Bag
TW12150	150' Poly Bag
TW12200	200' Poly Bag
TW12600	600' Reel

Arbor Plex

12-Strand Braided Polyester Polyolefin Construction

The Arbor Plex series uses an unique construction that wraps a tough polyester jacket fiber around a polyolefin center fiber creating a lightweight, high-strength rope with maximum resistance to wear and fiber fusing. The outer polyester fibers utilize Samson's Parallay fiber orientation to prolong rope life by minimizing the sawing action of fibers over rough surfaces. The signature green stripe assures that any twist in the line is easily detected. Arbor Plex was the first synthetic rope designed specifically for the arborist industry and remains one of the best values in climbing lines today.

- Excellent wear and snag resistance
- Works well when wet
- Economical-good value
- Excellent knot holding ability
- Single braid

Arborplex: White with Green Tracer

• 1.2" diameter • 6,000 lbs average tensile strength
• 6.8 lbs weight per 100' • 600 lbs working load

Part #	Put Up
AP12120	120' Poly Bag
AP12150	150' Poly Bag
AP12600	600' Reel

Velocity

24-Strand Braided Polyester Construcion with Nylon Core

Velocity is an 11mm (7/16" diameter) premium grade climbing line. Velocity offers ultimate performance and is designed to handle all mechanical devices. Velocity offers that "broken in" feel that comes from Samson's proprietary "Sure Grip" technology. The light weight and firm construction offers the arborist exceptional footlocking capabilities, quick access, excellent knot holding ability and a spliced strength of 6,000 lbs.

- A 11mm size 7/16" diameter
- Lightweight, allows less fatigue, quicker climbing and access
- Works well with hardware
- Excellent knot holding ability
- "Sure Grip" technology

Velocity: Blue, Green & White

• 7/16" diameter • 6,000 lbs average tensile strength
• 5.6 lbs weight per 100' • 600 lbs working load



Part #	Put Up
SV716120	120' Poly Bag
SV716150	150' Poly Bag
SV716600	600' Reel

Velocity is Available in 150" Lengths With a 5" Spliced Tight Eye - Add S To End Of Part #

New England Climbing Rope

16-Strand Braided Polyester/Polypropylene Construction

Braided Safety Blue is the industry standard climbing rope. Engineered to stay firm and round even after years of use. Each strand is a core of fibrillated polypropylene surrounded by tightly piled polyester fiber that is treated with a waxy coating to enhance abrasion resistance. The plied fibers result in a firmer, rounder, more abrasion resistant strand. Braided Safety Blue holds knots without developing a memory. Available in 3 colors.

- 1/2" Diameter
- 7,000 lbs average tensile
- 7 lbs weight per 100'
- 700 lbs working load
- Stays round under loads
- Excellent knot control
- Excellent abrasion resistance
- High UV resistance
- Excellent flexibility
- Available in 3 colors

Safety Blue: Solid White

Part #	Put Up
NESB12120	120' Poly Bag
NESB12150	150' Poly Bag
NESB12600	600' Reel

Hi-Vee Safety Blue: Alternating Orange & White

Part #	Put Up
NEHV12120	120' Poly Bag
NEHV12150	150' Poly Bag
NEHV12600	600' Reel

Ultra Vee Safety Blue: High Visibility Green & White

Part #	Put Up
NEUV12120	120' Poly Bag
NEUV12150	150' Poly Bag
NEUV12600	600' Reel

Pelican Climbing Rope

Pelican Orange & White

Pelican arborist rope is a high strength composite climbing rope that features a tough 16-strand braided chemical resistant polyester cover over a non-rotational nylon parallel core. This construction results in a smooth running rope ensuring fewer snags and minimal abrasion. Steam setting helps to eliminate cover over core slippage.

- 16 - Strand Braided Polyester Construction
- High Strength Chemical Resistant Polyester Cover
- Non-Rotational Nylon Parallel Core
- Steam Set to Eliminate Cover over Core Slippage (Milking)

Pelican Orange & White

- 1/2" diameter
- 7.7 lbs weight per 100'
- 8,600 lbs average tensile strength
- 860 lbs working load

NEW

Part #	Put Up
POW12120	120' Poly Bag
POW12150	150' Poly Bag
POW12200	200' Poly Bag
POW12600	600' Reel

PELICAN ROPE
The Most Trusted Name in Rope™

Pro Master

3-Strand, Twisted Construction

Pro Master is a tough, durable, 3 - Strand rigging rope. It remains firm, round, and flexible with use. It has a soft hand with excellent lock-grip and knot-holding capabilities.

- Excellent lock-grip holding capability
- Class 1 3-Strand splice
- Excellent abrasion resistance
- High strength-to-weight ratio

Pro Master: White With Green Tracer

Part #	Dia	Put-UP	Average Tensile, Lbs	Weights per 100'	Working Load, Lbs
PM12150	1/2"	150' Poly Bag	6,300	6.5 lbs	1,300
PM12600	1/2"	600' Reel	6,300	6.5 lbs	1,300
PM58150	5/8"	150' Poly Bag	8,500	9.6 lbs	1,700
PM58600	5/8"	600' Reel	8,500	9.6 lbs	1,700
PM34150	3/4"	150' Poly Bag	10,900	13.9 lbs	2,200
PM34600	3/4"	600' Reel	10,900	13.9 lbs	2,200

Arbor Plex

12-Strand Braided

The workhorse of the industry. 12-Strand polyester/polyolefin construction. The best known most widely used rigging line in the industry.

- Fiber: polyester cover, polyolefin core
- Standard Color: white with green longitudinal hanging line
- Excellent wear and snag resistance
- Excellent knot holding ability
- Works well when wet
- Economical-good value
- Single Braid

Arbor Plex: White With Green Tracer

Part #	Dia	Put-UP	Average Tensile, Lbs	Weights per 100'	Working Load, Lbs
AP58150	5/8"	150' Poly Bag	9,000	12 lbs	1,800
AP58600	5/8"	600' Reel	9,000	12 lbs	1,800
AP34150	3/4"	150' Poly Bag	12,000	16.2 lbs	2,400
AP34600	3/4"	600' Reel	12,000	16.2 lbs	2,400

Stable Braid

Double Braid
Samson's Strongest Rigging Line

This double braid is a low stretch, high strength-to-weight ratio, and torque-free construction. It is durable with excellent abrasion and UV resistance.

- Fiber: polyester
- Torque-free construction
- Durable
- High resistance to UV degradation
- Class 1 Double Braid splice
- Low stretch
- Excellent abrasion resistance
- Minimal UV degradation

Stable Braid

Part #	Dia	Put-UP	Average Tensile, Lbs	Weights per 100'	Working Load, Lbs
SB12150	1/2"	150' Poly Bag	10,400	8.2 lbs	2,100
SB12200	1/2"	200' Poly Bag	10,400	8.2 lbs	2,100
SB12600	1/2"	600' Reel	10,400	8.2 lbs	2,100
SB58150	5/8"	150' Poly Bag	16,300	14 lbs	3,300
SB58600	5/8"	600' Reel	16,300	14 lbs	3,300
SB34150	3/4"	150' Poly Bag	20,400	18 lbs	4,100
SB34600	3/4"	600' Reel	20,400	18 lbs	4,100

Pelican Bull Rope

Pelican Bull Rope is constructed with a polyester cover over a nylon core, this high force rope offers dependability, even balance and unsurpassed resistance to abrasion, sunlight and common chemicals while providing shock absorption properties similar to nylon with higher tensile strength than either nylon or polyester. Urethane coating provides an additional protection and increased abrasion resistance.

PELICAN ROPE
The Most Trusted Name in Rope™

- Double Braid Construction
- Shock Absorbing
- Urethane Coated for Abrasion Resistance
- Resistant to Sunlight and Common Chemicals
- High Tensile Strength

Bull Rope

Part #	Dia	Put-UP	Average Tensile, Lbs	Weights per 100'	Working Load, Lbs
PBR58150	5/8"	150' Poly Bag	15,320	12 lbs	3,064
PBR58200	5/8"	200' Poly Bag	15,320	12 lbs	3,064
PBR58600	5/8"	600' Reel	15,320	12 lbs	3,064
PBR34150	3/4"	150' Poly Bag	25,730	16.7 lbs	5,146
BPR34200	3/4"	200' Poly Bag	25,730	16.7 lbs	5,146
PBR34600	3/4"	600' Reel	25,730	16.7 lbs	5,146

Small Throw Line Bag

- Constructed of 600-denier coated polyester
- Holds 150' of throw line
- Convenient drawstring top closures
- Features interior nickel plated rings
- Measures 4" in dia. by 6" high
- Red

Part # 0807140

Medium Throw Line Bag

- Constructed of 600-denier coated polyester
- Holds 200' of throw line
- Convenient drawstring top closures
- Features interior nickel plated rings
- Measures 7" in dia. by 9" high
- Blue

Part # 0807142

Throw Line Bucket Bag

- Constructed from 1,200-denier nylon
- Holds four various-sized bags and throw lines
- Generously-sized rain shield
- Multiple inside pouches with Velcro® closures
- Interior features four floating dees
- Two external pockets for added storage
- One external pocket with a clear pocket
- Measures 12" in dia. by 8" high.

Part # 0807165

Pelican Rope Standard Rope Bag

- Strong nylon canvas
- Weather-proof vinyl lining
- Zipped top flap
- Shoulder straps
- Two side pockets with flaps
- Holds 200' 1/2" Diameter rope
- Holds 150' 5/8" Diameter rope

Part # RB12X15

Large Nylon All Purpose Gear Bag

- Constructed from 1,200-denier nylon
- Large enough to carry all Arborist Tools
- Measures 15" dia. by 29" high
- Padded shoulder straps
- Roomy zippered outside compartments 13" wide by 21" high by 2" deep
- Hand saw pouch measures 5" wide by 13" high by 2" deep

Part # 0807185

Mesh Tool Accessory Bag

- Constructed of coated nylon mesh that allows moisture to evaporate
- A great storage option for tools and small hardware
- Black webbing handles for easy carrying
- Small (5" dia. X 9" long)
- Large (8" dia. X 12" long)

Part # 0807130 Small
Part # 0807132 Large

WEAVER LEATHER NEW

Deluxe Rope Bag

DURABLY-CONSTRUCTED BAG STANDS UP ON ITS OWN

- Made from 1,200-denier nylon and is perfect for storing 1/2" or 9/16" climbing lines.
- Features two outside pockets with handy snap closures for storing carabiners and other accessories.
- Top of bag features a zippered closure and a grommet for feeding rope through.
- Grommet is reinforced with leather for extra durability and is covered with a flap that keeps weather out.
- Spiral wire keeps bag from collapsing when rope is fed into the bag and snaps keep bag collapsed when not in use.
- Measures 11" in dia. by 15" high

Part # 0807156

Bull Rope Deployment Bag

DURABLY-CONSTRUCTED BAG STANDS UP ON ITS OWN

- Made from 1,200-denier nylon
- Perfect for storing a 5/8" X 200' bull rope.
- Padded shoulder strap for easy carrying.
- Two roomy outside pockets for storage of block and rope.
- Spiral wire keeps bag from collapsing and snaps keep bag collapsed when not in use.
- Measures 15" in dia. by 18" high

Part # 0807161

Basic Rope Bag

DURABLY-CONSTRUCTED BAG STANDS UP ON ITS OWN

- Made from 1,200-denier nylon
- Spiral wire prevents bag from collapsing when rope is fed.
- Snaps and dees keep bag collapsed when not in use.
- Convenient drawstring top closure for quick access.
- Holds 150' of 1/2" or 9/16" rope.
- Measures 12" in dia. by 14" high

Part # 0807152

Doctor-Style Polyester Tool Bag

- Constructed from 1,000-denier polyester with a PVC coating
- Hard plastic bottom protects contents and prevents punctures
- Features Velcro® closures at top for easy in and out and a rain shield for added protection
- Features two 18"W x 12"H x 4"D side pockets with Velcro® closures
- Main compartment measures 23" x 10'H x 11" D

Part # 0807001

Doctor-Style Canvas Tool Bag

- Constructed from durable canvas with webbing handles and a new adjustable shoulder strap with pad.
- Hard plastic bottom protects contents and prevents punctures
- Features Velcro® closures at top for easy in and out and a rain shield for added protection
- Features two 18"W x 12"H x 4"D side pockets with Velcro® closures.
- Main compartment measures 23"W x 10"H x 11"D

Part # 0807000

Throw Weight and Line Kits

Convenient, aerodynamic throw weight and lightweight polyethylene line kits help position ropes perfectly

Part #	Description
0898327NG	150' LN 12oz Neon Green
0898327BO	150' LN 12oz Blaze Orange
0898329NG	150' LN 16oz Neon Green
0898329BO	150' LN 16oz Blaze Orange

Throw Weights

Aerodynamic design helps increase the range of the throw

Part #	Description
0898318RD	Cordura 12oz Red
0898319RD	Cordura 14oz Red
0898320RD	Cordura 16oz Red

WEAVER LEATHER NEW

Bullet Throw Weights

- The moving action of the #8 shot that fills these Cordura® weights helps prevent the weights from hanging up in tree branches.
- The coated lead shot is contained in a latex pouch for environmental protection.
- Bottom loop for an accessory carabiner offers easy rope attachment.
- Available in 8 oz., 10 oz. and 12 oz. sizes in black/blaze orange, black/neon green or black/yellow.
- Size is screen printed onto weight for easy identification.

Part #	Weight	Color
0898322	8 oz.	Orange/Black
0898323	10 oz.	Green/Black
0898324	12 oz.	Yellow/Black

150' Throw Line Replacement

- Lightweight design is ideal for positioning other ropes.
- Features an 8 carrier diamond braid polyethylene cover over a parallel polyethylene core.
- Minimum tensile strength of 190 lbs.

Part #0898025-150

Erin Rope Bulk Throw Line

- High Quality
- 1/8" Diameter
- 100% Polyethylene solid braid line
- 260 lbs tensile

Part #	Description
40200	200' Spool
41000	1000' Spool

Zing-It!

Made from Dyneema® fiber, this twine yields the highest strength, lightest weight, lowest stretch and longest wear life available. The proprietary urethane coating Samthane adds to the twine's wear life, ensures the knot-holding capability of the twine, and gives the twine its distinctive yellow color

- Fiber: Dyneema®
- Standard Color: yellow
- Extremely strong
- Extremely light

Part #	Description	Tensile
Z811017	1.75mm 180' Throw Line	560lbs
Z811022	2.2mm 180' Throw Line	670lbs

samson®

WEAVER LEATHER NEW

Bull's Eye® Throw Line

Polyethylene and Dyneema® combine to offer an extremely slick and strong design

- Constructed from neon green polyethylene and white Dyneema® in a striped design that offers high visibility.
- Dyneema® core gives this throw line added strength.
- Rot-resistant line has good memory for recoiling.
- This 2.5 mm. rope glides easily in the hands.
- Average tensile strength of 450 lbs.

Part #	Description
0898026	2.5 mm. x 150'

Fling-It Throw Line

Dyneema® throw line has a coating that enhances glide and resists abrasions

- Constructed from 100% Dyneema® in a bright neon orange for maximum visibility.
- Features an 8-strand twill braid that provides resistance to abrasion and snagging.
- High tensile strength offers added durability.
- Average tensile strength of 650 lbs.

Part #	Description
0898027	2.2 mm x 150'

JAMESON Big Shot

Ideal for shooting throw bag and line through tree limbs. Delivers line up to 200'.

Part #	Description
FGBSKIT	Big Shot w/2-4' Poles
BS1RP	Replacement Pouch and Tubing
FG4F	4' Base Pole
FG4	4' Extension Pole
REC125	Rubber End Cap

4 Dee Single Thickness Cotton Saddle

Offers More Positioning Options and Adds Stability

- Cotton webbing reinforced with nylon provides comfort and strength
- Floating seat strap can be easily positioned for maximum support
- Available with or without 1" heavy duty coated webbing leg straps that prevent slip through
- Two nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring keep tools handy
- Leg straps are lockstitched and riveted to seat strap

Positioning Saddle Sizing Chart

Small	30"-34" waist
Medium	33"-41" waist
Large	36"-44" waist
Extra Large	42"-48" waist

Front View

Rear View

WITHOUT LEG STRAPS

Part #	Size
0801005SM	Small
0801005MD	Medium
0801005LG	Large
0801005XL	Extra Large

Front View

Rear View

WITH HEAVY-DUTY COATED WEBBING LEG STRAPS

Part #	Size
0801010SM	Small
0801010MD	Medium
0801010LG	Large
0801010XL	Extra Large

4 Dee Extra Wide Back Saddle

Provides extra comfort and support where it's needed the most.

- The 6" wide waist back is foam filled and lined with a soft brown tanned top grain steer hide leather
- Seat strap floats on waist belt for easy positioning and comfort and is lined with top grain steer hide leather
- Saddle back features 5 nylon hooks for accessories

Front View

Rear View

WITH 1" HEAVY-DUTY COATED WEBBING LEG STRAPS

Part #	Size
0801035SM	Small
0801035MD	Medium
0801035LG	Large
0801035XL	Extra Large

Front View

Rear View

WITH 2" NYLON LEG STRAPS

Part #	Size
0801033SM	Small
0801033MD	Medium
0801033LG	Large
0801033XL	Extra Large

WEAVER LEATHER NEW

4-Dee Extra Wide Back Saddle with Batten Seat

With a comfortable, extra wide back and a batten seat, this saddle is ideal for arborists who are in the saddle for long periods of time.

- The 4" wide batten seat is reinforced with an aluminum bar covered in foam that provides extra support.
- The 6" wide waist back is foam filled and lined with soft oil tanned top grain steer hide leather.
- Batten seat floats on waist belt for easy positioning and comfort.
- Features adjustable accessory batten seat straps that keep your batten seat properly positioned.
- Two nylon utility straps with a chrome brass 200 snap and a 2" nickel plated ring keep tools handy.

Front View

Rear View

Part #	Size
0801078SM	Small
0801078MD	Medium
0801078LG	Large
0801078XL	Extra Large

Floating Dee Extra Wide Back Saddle

Offer maximum freedom of movement with a choice of one or two floating Dees.

- Floating Dees provide easy maneuverability
- Two floating Dee style is perfect for split-tail climbing
- Front strap is reinforced with neoprene for extra durability

Front View

Rear View

TWO FLOATING DEES WITH 2" NYLON LEG STRAPS

Part #	Size
0801041SM	Small
0801041MD	Medium
0801041LG	Large
0801041XL	Extra Large

Front View


Rear View

ONE FLOATING DEE WITH 2" NYLON LEG STRAPS

Part #	Size
0801040SM	Small
0801040MD	Medium
0801040LG	Large
0801040XL	Extra Large

Front View


Rear View

TWO FLOATING DEES, WITH **PADDED** NYLON LEG STRAPS

Part #	Size
0801038SM	Small
0801038MD	Medium
0801038LG	Large
0801038XL	Extra Large

Weaver Leather Cougar Saddle

Now with a new and improved rope bridge that provides easy compatibility with modern climbing techniques and new lightweight forged aluminum dees, the Cougar Saddle offers ultimate performance.

Front View

A Dees are now made from forged aluminum with a black anodized finish that's lighter weight than steel

B Replaceable rope bridge is compatible with rope style micro-pulleys or aluminum rings and features four rubber bumpers

C Leg straps feature secure, quick-connect buckles for ease of use

D Extra wide 7" memory foam back reduces pressure points, wicks away moisture and does not retain heat for cool comfort

E Saddle back now features two rounded nylon loops that are covered with clear rubber tubes that help resist excess wear. Each loop will hold up to 15 lbs. of accessories.

Rear View

F New fixed position, angled side dee rings feature a two bar design and offer easy access--you can snap in with just one hand!

G Three dees for attachment of ditty bag or first aid kit

H Spaces at back for attachment of carabiners to hold additional accessories

I Features a training/rescue belay loop on the back

COUGAR ROPE BRIDGE EXTRA WIDE BACK SADDLE WITH MEMORY FOAM AND LEG STRAPS

Part #	Size
0801075SM	Small
0801075MD	Medium
0801075LG	Large
0801075XL	Extra Large

ACCESSORIES

Part #	Description
01041	Aluminum "O" Ring
0898125	Replacement Rope Bridge
0898126	Replacement Leg Straps, One Pair
0898128	Replacement Batten Seat

01041

0898125

0898126

0898128

4 Dee Single Thick Cotton Back Saddle

- Traditional 4 dee economy saddle
- Constructed with 3" thick cotton webbing reinforced with 1-3/4" nylon
- 1-3/4" grommeted leg straps
- One accessory snap on right side and 1-3/4" steel ring on left side.

WITH 1-3/4" GROMMETED LEG STRAPS

Part #	Size
1383S	Small
1383M	Medium
1383L	Large
1383XL	Extra Large

WITHOUT LEG STRAPS

Part #	Size
1381S	Small
1381M	Medium
1381L	Large
1381XL	Extra Large

Floating Dee Double Thick Cotton Back Saddle

- Single floating dee and two side dees
- Double thick cotton webbing reinforced with 1-3/4" nylon make up the back and seat section
- 1-3/4" grommeted leg straps keep the saddle in place
- 1-3/4" steel ring and accessory snap on each side for equipment

WITH FLOATING DEE RING AND 1-3/4" LEG STRAPS

Part #	Size
1379S	Small
1379M	Medium
1379L	Large
1379XL	Extra Large

Front View

Rear View

Arbormaster® Classic Saddle

- Six soft and 1 steel suspension point
- Rescue belay loop in back
- Individual leg straps with interlock buckles
- Suspender connection loop
- Various hardware attachment points
- Lightweight 4.5 LBS.

Part #	Size
1290S	Small
1290M	Medium
1290L	Large
1290XL	Extra Large

Front View

Rear View

Classic Pinnacle Saddle

- Tongue buckle waist closure
- Batten seat design
- 4 dee rings, 2 on side and 2 attached to batten seat

Part #	Size
1291TS	Small
1291TM	Medium
1291TL	Large
1291TXL	Extra Large

Front View

Rear View

Buckingham Tear Away Bungee Chainsaw Lanyard

The Buckingham tear away chainsaw lanyard with the built-in bungee is designed for safety and convenience. It is constructed with a tear away safety pack that activates when 200 lbs. of force is applied. This eliminates the possibility of the user being pulled out of a tree if the saw gets hung up on a falling limb.

- Tear away design
- Fully extends to 48"
- 6" nylon loop
- 1¾" steel ring to suspend when not in use

Part #	Description
25Y12-48A	Tear Away Bungee Chainsaw Lanyard

Bungee Chain Saw Straps

BUNGEE DESIGN EASILY STRETCHES WHEN YOU'RE USING YOUR SAW AND RETRACTS WHEN HANGING CLOSE TO YOUR SADDLE OR BELT

- These 1-3/16" wide double box-stitched nylon webbing straps with 1" elastic easily adjust by attaching the rings to a snap on a saddle or belt.
- Heat-sealed ends help prevent fraying.
- A half twist in the loop end helps keep equipment hanging straight.
- The ring and 225 snap style is 30" at rest and 45-1/2" long when fully extended.
- The new two ring style is 33-1/2" at rest and 48" long when fully extended.
- The new one ring style is 31-1/2" at rest and 44" long when fully extended.
- Welded nickel plated rings are 2" in diameter. Non-rust manganese bronze 225 snap is 4-1/4" long.
- Not intended for breakaway.
- Orange.

With Ring and 225 Snap
Part # 0898225

With Two Rings
Part # 0898226

With One Ring
Part # 0898227

Chain Saw Straps

NYLON STRAPS WITH A HALF TWIST HELP KEEP EQUIPMENT HANGING STRAIGHT

- Constructed of 1" wide double box-stitched nylon webbing with heat-sealed ends to prevent fraying.
- Available in three lengths (length includes hardware): 10" with ring, 13" with ring, 15" with 225 snap
- Welded nickel plated rings are 2" in diameter.
- Non-rust manganese bronze 225 snaps are 4-1/4" long.

Part #	Description
0898212	10" with Ring, Red
0898213	13" with Ring, Red
0898211	15" with 225 Snap, Red

Adjustable Chain Saw Straps

- These 1" wide, double box-stitched nylon webbing straps easily adjust by attaching the rings to a snap on a saddle or belt.
- Heat-sealed ends help prevent fraying.
- A half twist in the loop end helps keep equipment hanging straight.
- Welded nickel plated rings are 2" in diameter.
- Non-rust manganese bronze 225 snap is 4-1/4" long.

Part #	Description
0898219	49" with Ring and 225 Snap, Blaze Orange
0898220	49" with Two Rings, Yellow
0898221	47" with one Ring, Red

Kernmantle Rope Lanyard

- 42" long
- 5" loop and brass swivel snap
- Breakaway design

Part # LYB-08Y-42

Two-In-One Adjustable Lanyard

Two-in-one safety lanyard made of 1/2" dia 3-strand polyester, with double-locking safety snap hooks; includes prusik runner. The forged steel safety snap hooks are rated at 5,000 lbs. tensile and proof-load tested.

Part # LYT1610

Description	3-Strand White Polyester with Fast Eye
Standard Length	10' plus 20" Prusik Runner
Diameter	1/2"
mm	13mm



Adjustable Safety Lanyards

Made from white three-strand twisted polyester rope or double braided composite polyester/nylon with hand-spliced eyes. The composite double-braid is stronger and with better shock loading. Shrink tubing forms a tapered cover over the tails. The forged alloy steel, double-locking safety snap hook is tested and rated at 5,000 lbs. break strength.

Part # LYT1607

Description	3-Strand Rope with Double Locking Safety Snap Hook at each end.
Adjustable	4"-7"
Diameter	1/2"
mm	13mm

Part # LYB1607

Description	Double-Braid Rope with Double Locking Safety Snap Hook at each end.
Adjustable	4"-7"
Diameter	1/2"
mm	13mm

Nylon Web Positioning Lanyard

Elk River, Inc. Personal Fall Protection

1" X 6' Adjustable positioning lanyard, Locking snap hooks both ends

Part # 29026

1" X 10' Adjustable positioning lanyard, Locking snap hooks both ends

Part # 29510

Steel Core Flipline

HIGH VISIBILITY

- Not for use around electric lines
- Smooth handling 16 - strand polyester composite cover over a galvanized steel aircraft cable core
- Galvanized thimbles each end with a locking swivel snap at one end

Part #	Description
FLS1608	1/2" x 8'
FLS1610	1/2" x 10'
FLS1612	1/2" x 12'

1/2" fliplines can be used with Gibbs G3 series ascenders and the CMI Ropewalker ascenders

Part #	Description
FLS588	5/8" x 8'
FLS5810	5/8" x 10'
FLS5812	5/8" x 12'

5/8" fliplines can be used with Gibbs G4 series ascenders and the CMI Ropewalker ascenders

Rope Flipline

- 16-Strand rope flipline - blue/white
- Locking rope snap on one end and eye splice on the other

Part #	Description
FL1608	1/2" X 8'
FL1610	1/2" X 10'
FL1612	1/2" X 12'

1/2" fliplines can be used with Gibbs G3 series ascenders and the CMI Ropewalker ascenders

Eye to Eye BeeLine Prusik Cords

- 5/16" (8mm)
- Tough kernmantle technora jacket over polyester core
- Heat and abrasion resistant
- Eye to eye tails with two machine-sewn tight eyes
- 6,000 lbs. tensile strength
- 3 lengths: 28", 30" & 32"

Part #	Description
EE28	Eye to Eye Prusik 5/16"x 28"
EE30	Eye to Eye Prusik 5/16"x 30"
EE32	Eye to Eye Prusik 5/16"x 32"



Spliced BeeLine

- 5/16 (8mm) technora and polyester blended
- 900 degree melting point
- Spliced and hand sewn finished
- 5,000 lbs. tensile strength
- 2 lengths: 30" & 32"

Part #	Description
RF2101	Eye to Eye Prusik 5/16"x 30"
RF2101-32	Eye to Eye Prusik 5/16"x 32"

Prusik Runner with Locking Snap

Each runner is equipped with a double-locking safety snap hook. 100% proof load tested. Rated at 5,000 lbs. tensile strength. Constructed from 3-strand twisted white polyester.

- 1/2" three strand twist
- 1/2" x 20"
- Add to any rope lanyard

Part # PRT16020



Buckingham Climbers

Buckingham began manufacturing tree and pole climbers back in 1896. For over a century utility linemen, arborist and construction workers have relied on Buckingham for their climbing needs. Having entered their second century, Buckingham remains committed to satisfying their customers by using only the best materials available, maintaining the highest manufacturing processes possible, continually searching for better materials and leading the industry in product innovations.

Steel Contoured Shank Replaceable Gaff Climbers

- Complete steel set with leather pads and nylon straps
- Sleeve adjustment from 16-1/4" to 18-3/4"
- 2-3/4" screw type replaceable tree gaffs
- Rated to 350 lbs. per pair
- Offset stirrup prevents climber from moving back to heel of foot

Part # SB95059

Titanium Contoured Shank Replaceable Gaff Climbers

- Complete titanium set with leather pads and nylon straps
- Sleeve adjustment from 16-1/4" to 18-3/4"
- 2-3/4" screw type replaceable tree gaffs
- Rated to 350 lbs. per pair
- Offset stirrup prevents climber from moving back to heel of foot

Part # TB95059

Steel Contoured Shank Replaceable Gaff Climbers

- Steel climbers without upper straps or pads
- Sleeve adjustment from 16-1/4" to 18-3/4"
- 2-3/4" screw type replaceable tree gaffs
- Rated to 350 lbs. per pair
- Offset stirrup prevents climber from moving back to heel of foot
- Lower straps included

Part # SB95089

Titanium Contoured Shank Replaceable Gaff Climbers

- Titanium climbers without upper straps or pads
- Sleeve adjustment from 16-1/4" to 18-3/4"
- 2-3/4" screw type replaceable tree gaffs
- Rated to 350 lbs. per pair
- Offset stirrup prevents climber from moving back to heel of foot
- Lower straps included

Part # TB95089

Climber Straps

Leather Upper Climbing Straps

- Constructed of 1" wide top grain latigo leather that is riveted for extra strength
- Roller buckles and leather wear pads reduce abrasion
- Ten oblong holes for size adjustment
- Overall length of strap is 26"
- Sold in pairs- order 1 and get a set

Part # 0897001

Leather Split Ring Lower Climbing Straps

- Constructed of 1" wide top grain latigo leather that is riveted for extra strength
- Roller buckles and leather wear pads reduce abrasion
- Ten oblong holes allow buckle to lie flat and out of the way
- Overall length of strap is 26"
- Sold in pairs - order 1 and get a set

Part # 0897050

HD Coated Webbing Upper Climbing Straps

- Riveted 1" heavy-duty coated webbing straps are extremely durable
- Straps are pre-cut, pre-punched and heat-sealed to prevent fraying and ensure a quality end product
- Roller buckles and leather wear pads reduce abrasion
- Fourteen holes for perfect adjustment
- Overall length of strap is 26"
- Sold in pairs - order 1 and get a set

Part # 0898001

HD Coated Webbing Lower Split Ring Climbing Straps

- Riveted 1" heavy-duty coated webbing straps are extremely durable
- Straps are pre-cut, pre-punched and heat-sealed to prevent fraying and ensure a quality end product
- Roller buckles and leather wear pads reduce abrasion
- Overall length of strap is 26"
- Sold in pairs - order 1 and get a set

Part # 0898050

Tree Gaffs

Dowel & Screw Replaceable Tree Gaffs

Replaceable dowel & screw tree gaff for titanium and steel tree climbers. Easy to change out. Includes hardware

Part # NB9306

USE ON ALL CLIMBERS MANUFACTURED AFTER 01-01-2011

Screw Style Replaceable Tree Gaffs

- 2-3/4" tree gaff
- Sold in pairs
- Includes hardware

Part # TB9306

Pin Type Replaceable Tree Gaffs

- 2-3/4" older style pin type tree gaffs
- Comes with four drive-lock pins
- Sold in pairs

Part # 9306

Gaff Guards

Velco® Straps for Easy On and Off and a Precise Fit

- Constructed of top grain leather, sewn and riveted to form shape
- Velcro® straps are riveted on
- One size fits all
- Sold in pairs

Part # 0897100
(does not include climber)

Climber Pads

L-Shaped Climber Pads with Felt Liner

- Provides foam cushioned comfort for the back of the leg and calf.
- Soft 1" thick foam liner
- No tabs - these pads thread on straps and climber shank
- Sold in pairs

Part # 0897158

T-Shaped Climber Pads with Felt Liner

- No tabs - these pads thread on straps and climber shank
- Nickel - plated rivets
- Sold in pairs

Part # 0897156

Super Climber Pads

- Extra large design distributes pressure more evenly for added comfort
- Constructed of durable, weather - resistant, top grain harness leather lined with ½" black felt
- A tunnel for the climber shank and 1¼" slots for straps
- Requires two 26" climber straps
- Sold in pairs

Part # 0897157

Buckingham Velco® Pads

- 4" cinch loop allows pad to be tightened more efficiently
- Fits all climbers except Brooks

Part #	Description
3500C	Cushion wrap pad with cinch
3502C	Cinch pad with metal insert

Climber Hardware

Tree Gaff Maintenance Kit

Kit Includes:
- 6058 Smooth single cut file
- 6306 Tree gaff gauge
- 6501 Finishing hone

Part # 6026

Split Rings for Lower Climbing Straps

- 1-1/8" split ring easily attaches to climber stirrup

Part # 9218

Buckingham Sleeve Fasteners

For Buckingham replaceable gaff climbers with holes that are not threaded

Part # 9215

For Buckingham permanent and replaceable gaff climbers with threaded holes

Part # 996

Silky
World's finest saw.

NEW

HAYAUCHI

4 Section Aluminum Pole Saw

The # 1 Selling Polesaw in the world!

This polesaw is constucted of rigid oval shaped aluminum poles that quickly extend to the maximum length of 21 ft. The base pole has a comfortable sponge rubber grip. The extensions lock with spring loaded buttons at the end of each length. The Hayauchi comes with a LETHAL 16" blade with sharpened hooks on both ends to score branch and keep the blade in the cut. Comes with scabbard.

Part #	Description
17939	Complete saw
1770203	Replacement Blade
17742	Replacement Scabbard
1770091	Hook Accessory

ZUBAT

2 Section Aluminum Pole Saw

Unbelievably Light

The infamous Zubat hand saw mounted on a pole. This saw sports the Zubat's heavy duty 330mm curved blade and is suitable for cutting large or small branches. The pole itself is 5 ' (1200mm), reaching 9' (2700mm) when fully extended. The pole is oval shaped to endure rigidity when sawing. Comes with scabbard.

Part #	Description
27212	Complete saw
27133	Replacement Blade
2700041	Replacement Scabbard

NEW

POCKETBOY

Folding Saw

This compact and lightweight folding saw has extraordinary cutting capacity and fits in your pocket. The Pocketboy features a hard chrome-plated, taper-ground blade with impulse-hardened, non-set teeth for great cutting efficiency. 5" Blade, 11.42" overall length. Comes with carrying case.

Part #	Description
34013	Complete saw
34113	Replacement blade

NEW

GOMTARO

6.77 teeth per inch
12" blade, 300mm
16" overall length
Precision ground teeth with 4 cutting angles
Climbing sheath has a hinged belt loop with carabiner hole
Great climbing saw, weighs 0.93 lbs

Part #	Description
10230	Saw with scabbard
10330	12" Replacement blade

NATANOKO

6.35 teeth per inch
13" blade, 330mm
20" overall length
Rugged, one piece construction with rubber hand grip
Large, precision cut tooth pattern
Blade can be sharpened with file
Weighs 1.25 lbs

Part #	Description
12933	Saw with scabbard
13033	13" Replacement blade

SUGOI

5.5 teeth per inch
14.2" blade, 360mm
24.5" overall length
Precision ground teeth with 4 cutting angles
Great for pruning large branches
Sure-grip handle
Unique, high visibility scabbard can be attached to belt or leg (leg straps included)

Part #	Description
39036	Saw with scabbard
39136	14.2" Replacement blade

ZUBAT

6.35 teeth per inch
13" blade, 330mm
18" overall length
Precision ground teeth with 4 cutting angles
Heavy-duty, durable pivoting sheath
Great climbing saw, weighs 1.02 lbs

Part #	Description
27033	Saw with scabbard
27133	13" Replacement blade

IBUKI

5.5 teeth per inch
15.25" blade, 390mm
24" overall length
Precision ground teeth
Largest, thickest, biggest tooth blade in the Silky line
Comfortable sure-grip handle
Scabbard has both ring and strap attachments

Part #	Description
27539	Saw with scabbard
27639	15.25" Replacement blade

Fanno Professional Prunning Saws

For your convenience, these Fanno saws combos are offered with a durable belting material scabbard or saw only

13" Curved Razor Tooth

The Fanno Fi-1300 is one the most popular pruning saws in the industry today. The saw comes with an 13" razor tooth blade. It's popular pistol grip is made of durable marine grade plywood and is comfortable to use.

Part #	Description
Fi1311C	Fi1311 saw with scabbard (combo)
Fi1311	Fi1311 saw only
Fi13S-B	Replacement blade ONLY for Fi1311

NEW

Compact Speed Saw

The Fanno Fi-1700 features an extra thick and extra wide 15" razor tooth blade for extreme durability. The saw handle is designed for knuckle protection and comfort.

Part #	Descritpion
Fi1700C	Fi1700 saw with scabbard (combo)
Fi1700	Fi1700 saw only
Fi17S-B	Replacement blade ONLY for Fi1700

NEW

22.5" ProTooth Saw

When you need a large ground saw, this is the one for you. With a 22.5" blade this saw give you plenty of stroke to cut large limbs quickly and a unique design to remove chips more efficiently.

Part #	Descritpion
K24C	K24 saw with scabbard (combo)
K24	K24 saw only
24-B	Replacement blade ONLY for #24 saw

NEW

Fanno Folding Saw

This folding saw is a must for every homeowner, commerical landscaper, deer hunter and camper. Offers a great value/cost ratio. The saw is fast cutting and packaged in an attractive blister pack.

Part #	Descritpion
Fi106	6" folding saw with tri-edge teeth

NEW

Fred Marvin Professional Hand Saws

Fred Marvin hand saws are hard to beat. Both saws offer ergonomically designed handles and a razor sharp cutting edge

Part #	Description
HS10	Marvin/ARS Turbo cut hand saw 12" blade with wood chip relief gullets
S17	Replacement blade ONLY for HS10 saw 12" TRI-EDGE design
S18	Replacement balde ONLY for HS10 saw w/Chip Relief gullets 12"
HS11	Marvin F-350 tri-edge hand saw 13" blade
S22	Replacement blade ONLY for HS11 saw 13" TRI-EDGE design

HS10

HS11

FRED MARVIN
Pole Pruners and Saws Since 1943

FRED MARVIN
Pole Pruners and Saws Since 1943

For over 60 years, Marvin pruners have become the standard equipment for power and light companies, cemetery and city park tree surgeons, greens keepers, orchard growers and the largest tree companies in North America and Canada.

Part # PKG-23B

FEATURES A QUICK CHANGE PRUNER HEAD AND A QUICK CHANGE SAWHEAD
WITH 6' BASE, 6' MID POLE AND ROPE WITH S-20 SAW BLADE

Part # PKG-25QC

FEATURES A QUICK CHANGE PRUNER HEAD AND A QUICK CHANGE SAWHEAD
WITH S-20 BLADE AND 12' TELESCOPIC BASE POLE & ROPE

Professional Bypass Lopper

- 1-3/4" cut, 30" length
- Aircraft grade aluminum handles
- Forged blade, resharpenable
- Neoprene shock-stop bumper
- Non-slip grips
- Handles & bumper replaceable

Part # LB2030

Replacement Handles
Part # LBH-30

Rubber Bumper Stop
Part # Lstop

Professional Heavy-DutyBypass Lopper

- 2-1/4" cut 32" length
- Aircraft grade aluminum handles
- Forged blade, resharpenable
- Neoprene shock-stop bumper
- Non-slip grips
- Handles & bumper replaceable.

Part # LB3032

Replacement Handles
Part # LBH-32

Rubber Bumper Stop
Part # Lstop

Commercial Grade Professional All Purpose Pruning Shears

- Forged tool steel alloy construction.
- 1" diameter cutting capacity.

Part # 8015

Commercial Grade All Purpose Pruning Shears

- 1/2" diameter cutting capacity
- Forged steel construction

Part # 8022

All Purpose Pruning Shears

- 1/2" diameter cutting capacity
- Cushioned, non-slip grips
- Die cast

Part # 8122



Shaped Pruner Pouch

- Holds pruners or pliers 8" or smaller
- Has a 5-3/4" deep pocket
- Attaches with a 2" clip or can be slipped through 2" slots

Part #0897200

Pruner Head with Adapter
1-1/4" cut pruner head with "quick change" adapter. Fits all Marvin poles with a female ferrule (mid-poles and base poles).

Part # QCP

Saw Head with Adapter
Part # QCS

No.	Part #	Description
1	Z124	Block Bolt Washer & Nut
2	Z110	Lower Spring Pin
3	Z104	Spring
4	Z106	Upper Spring Pin
5	Z116	Pulley Trunnion Pin
6	Z130	Steel Rivet
7	Z115	Pulley Assembly
8	Z102	Lever (Z110 attached)
9	Z101	Blade
11	Z105	Cap Screw, Washer, Nut
13	Z108	Link Pin
16	Z117C	Pole Bolt & Nut



NOTE: Marvin replacement parts are intended for Marvin pruner heads only

6' Fiberglass Mid Pole
Part # 6FM

6' Fiberglass Base Pole
Part # 6FB

12' Telescopic Fiberglass Pole w/ferrule
Part # 12TB



6' Octagonal Wood Base Pole (poplar)
Part # 6PB



6' Octagonal Wood Mid pole (poplar)
Part # 6PM

Part # Z125A
14' Pruner rope bagged

Female Ferrule with Spring Clip
Part # Z126F

Male Ferrule Only
Part # Z126M

Set: Male and Female Extension Ferrules
Part # Z126

Part # S17
ARS Turbocut tri-edge blade
Fits HS10

Part # S18
ARS Turbocut blade with wood chip relief gullets
Fits HS10

Part # S19
Razor Tooth (Bi-Cut)

Part # S20
330 Tri-Edge

Part # S21
330 Tri-Edge with Hook

Part # S22
13" Tri-Edge hand saw blade
Fits HS11 saw

Weaver Leather Scabbards

Weaver Leather scabbards are constructed with weather-resistant rubberized belting material or top grain steer hide leather. All scabbards are sewn with heavy weather and mildew-resistant nylon thread and riveted at stress points. They are constructed to be more durable and give years of service.

STRAIGHT BACK SAW SCABBARD WITH SNAP

Straight back, rubberized belting material
For saws with blades up to 14" long
Attaches with snap hook

Part # 0803010*

Use with Fanno Fi1300 and
Fred Marvin HS10 & HS11

**saw not included*

LEATHER STRAIGHT BACK SAW SCABBARD WITH SNAP

Straight back, top grain leather
For saws with blades up to 14" long
Attaches with snap hook

Part # 0802010

Use with Fanno Fi1300 and
Fred Marvin HS10 & HS11



CURVED BACK SAW SCABBARD WITH SNAP

Curved back, rubberized belting material
For saws with blades up to 14" long
Attaches with snap hook

Part # 0803011*

Use with Fanno Fi1300 and
Fred Marvin HS10 & HS11

**saw not included*

LEATHER CURVED BACK SAW SCABBARD WITH SNAP

Curved back, top grain leather
For saws with blades up to 14" long
Attaches with snap hook

Part # 0802011

Use with Fanno Fi1300 and
Fred Marvin HS10 & HS11

RUBBERIZED BELTING SCABBARD WITH SNAP HOOK

Rubberized belting material
For saws with blades up to 21" long
Attaches with snap hook

Part # 080300125

LEATHER SCABBARD WITH SNAP HOOK

Top grain leather
For saws with blades up to 21" long
Attaches with snap hook

Part # 080200125

RUBBERIZED BELTING POLE SAW SCABBARD

Pole Saw Scabbard, rubberized belting material
for pole saw blades up to 15-1/2" long

Part # 0803025

Use with all Fred Marvin pole saws
Fits 95% of all pole saws

CLASSIC "BIG 8" STAINLESS STEEL DESCENDER

Rated at 11,240 lbs
L.O.A.: 6.8”
Weight: 1.75 lbs

Part # USR850S

HIGH POLISHED STAINLESS

CLASSIC "BIG 8" ALUMINUM DESCENDER

Rated at 9,000 lbs
L.O.A.: 6.8"
Weight: 9.2 oz

Part # USR840

COLOR ANODIZED

CLASSIC "8" ALUMINUM DESCENDER

Rated at 7,875 lbs
L.O.A.: 5.5”
Weight: 3.7 oz

Part # USR835

COLOR ANODIZED

KONG TRENDER TWIN ASCENDER

Alluminum Alloy
L.O.A.: 8.0"
Weight: 17 oz

Part # KNG874

KONG LEFT OR RIGHT ASCENDERS

Alluminum Alloy
L.O.A.: 7.5"
Weight: 7.9 oz

Part # KNG896S (left)
Part # KNG896D (right)

FAST-EYE DOUBLE-LOCK SAFETY HOOK DROP-FORGED STEEL

Rated at 7,650 lbs
L.O.A.: 5.5"
Weight: 10.6 oz

Part # USR01

100% TESTED

SWIVEL-EYE DOUBLE-LOCK SAFETY HOOK DROP-FORGED STEEL

Rated at 7,650 lbs
L.O.A.: 7.5"
Weight: 13.1 oz

Part # USR02

100% TESTED

HEAVY DUTY FAST EYE DOUBLE-LOCK SAFETY HOOK DROP-FORGED STEEL

Rated at 10,116 lbs
L.O.A.: 5.7"
Weight: 23.3 oz

Part # USR01HD

100% TESTED

DOUBLE-LOCK SAFETY SNAP FORGED ALUMINUM

Rated at 6,070 lbs
L.O.A.: 6 1/8"
Weight: 5.5 oz

Part # USR50

COLOR ANODIZED

100% TESTED

U. S. RIGGING SUPPLY

THE RED BARON SAFETY SNAP FORGED ALUMINUM LOCKING DOUBLE-ACTION

Rated at 6,959 lbs
L.O.A.: 5 7/8"
Weight: 5 oz

Part # USR40

COLOR ANODIZED

100% TESTED

U. S. RIGGING SUPPLY

KONG "TANGO" ALUMINUM DOUBLE-LOCK SNAP HOOK WITH "D" RING

Rated at 7,419 lbs
L.O.A.: 5 1/4"
Weight: 4.3 oz

Part # KNG715

U. S. RIGGING SUPPLY

ALUMINUM DOUBLE-LOCK SNAP HOOK WITH "O" RING

Rated at 6,744 lbs
L.O.A.: 5 1/5"
Weight: 4.3 oz

RED

Part # USR145

U. S. RIGGING SUPPLY

ALUMINUM SNAP HOOK CARABINER CAPTIVE EYE

TRIPLE ACTION TWIST LOCK

Rated at 5,600 lbs
L.O.A.: 5 1/4"
Weight: 3.7 oz

Part # USR140

KEYLOCK

U. S. RIGGING SUPPLY

ALUMINUM SNAP HOOK CARABINER SWIVEL EYE

TRIPLE ACTION TWIST LOCK

Rated at 5,395 lbs
L.O.A.: 7.0"
Weight: 7.5 oz

Part # USR221

NO-SNAG GATE

U. S. RIGGING SUPPLY

ALUMINUM RESCUE CARABINER

TWIST-LOCK GATE

Rated at 5,620 lbs
L.O.A.: 4 1/4 "
Weight: 3 oz

Part # USR14

COLOR ANODIZED

100% TESTED

U. S. RIGGING SUPPLY

ALUMINUM BIG "D" CARABINER

TRIPLE-TWIST LOCK GATE

Rated at 5,845 lbs
L.O.A.: 5 "
Weight: 3.4 oz

Part # USR106

KEYLOCK



U. S. RIGGING SUPPLY

ALUMINUM HMS CARABINER
TRIPLE-LOCK GATE

Rated at 5,620 lbs
L.O.A.: 5"
Weight: .225oz

Part # USR125

NO-SNAG GATE

KONG OVALONE CARABINER
ALUMINUM TRIPLE-AUTO LOCK

Rated at 5,845 lbs
L.O.A.: 4.0"
Weight: 1.9 oz

Part # KNG712

KONG FERRATA CARABINER
TRIPLE-LOCK GATE

Rated at 6,744 lbs
L.O.A.: 4.6"
Weight: 3.2 oz

Part # KNG778

KONG EXTRA LARGE RESCUE CARABINER
ALUMINUM/ROMBO TRIPLE-ACTION GATE

Rated at 6,744 lbs
L.O.A.: 4.5"
Weight: 3.2 oz

Part # KNG911

KONG EXTRA LARGE RESCUE CARABINER
CARBON STEEL/ROMBO AUTO LOCK TWIST GATE

Rated at 11,241 lbs
L.O.A.: 4.5"
Weight: 8.3 oz

Part # KNG411

KONG EXTRA LARGE RESCUE CARABINER
CARBON STEEL/SCREW-LOCK GATE

Rated at 11,241 lbs
L.O.A.: 4.5"
Weight: 8.7 oz

Part # KNG411SL

BIG "D" CARBON STEEL CARABINER
FORGED STEEL/TWIST LOCK GATE

Rated at 10,116 lbs
L.O.A.: 4 3/4"
Weight: 9 oz

Part # USR10

KONG ASYMMETRIC CARABINER SNAP WITH BAR

Rated at 5,395 lbs
L.O.A.: 4"
Weight: 5.0 oz

Part # KNG567

ALUMINUM DOUBLE SWIVEL

Rated at 6,774 lbs
L.O.A.: 4.1 "
Weight: 5.6 oz

Part # USRDSL

TWIST SHACKLES STAINLESS STEEL

Part # K1610 for microcenders 5/16" pin size
6,900 lbs tensile strength

Part # K1612 for GIBBS ascenders 3/8" pin size
10,000 lbs tensile strength



GIBBS ASCENDERS

The Gibbs ascender was designed to function in the wettest and dirtiest conditions, making it very popular for use with steel core fliplines.

G3A

Aluminum Ascender
Spring Loaded

Use with 7/16" - 1/2" rope
Tensile (lbs) : 5,200

G3AB

Aluminum Ascender
With bolt & lock nut

Use with 7/16" - 1/2" rope
Tensile (lbs) : 5,200

G3S

Stainless Steel Ascender
Spring Loaded

Use with 7/16" - 1/2" rope
Tensile (lbs) : 5,200

G3SB

Stainless Steel Ascender
With bolt & lock nut

Use with 7/16" - 1/2" rope
Tensile (lbs) : 5,200

G4A

Aluminum Ascender
Spring Loaded

Use with 5/8" - 3/4" rope
Tensile (lbs) : 5,200

G4AB

Aluminum Ascender
With bolt & lock nut

Use with 5/8" - 3/4" rope
Tensile (lbs) : 5,200

G4S

Stainless Steel Ascender
Spring Loaded

Use with 5/8" - 3/4" rope
Tensile (lbs) : 5,200

G4SB

Stainless Steel Ascender
With bolt & lock nut

Use with 5/8" - 3/4" rope
Tensile (lbs) : 5,200

CMI ROPEWALKER ASCENDERS

CMI ascenders include adjustable spring tension, a reversible cable and pin as well as "mud vents" to help prevent dirt caked ropes from degrading ascender performance. Available with red anodized aluminum or stainless steel bodies. Can be used on ropes from 7/16" to 5/8"

Part #	Body Type	Length	Weight	Tensile
RPWRAL	Aluminum	4" X 3"	7 oz.	7,500 lbs
RPWRSS	Stainless	4" X 3"	11 oz.	7,500 lbs
RPWRALARB	Arborist Al.	4" X 3"	7 oz.	7,500 lbs

RPWRAL RPWRSS RPWRALARB

US Rigging Pulleys

MICRO PULLEY

1-5/16" dia.
Aluminum sheave
for ropes up to 1/2" dia

Rated at 6,774 lbs
L.O.A.: 3"
Weight: 4.2 oz

Part # USRPMS

ROPE PULLEY

2-3/8" dia.
Aluminum sheave
for ropes up to 9/16" dia

L.O.A.: 4-3/4"
Weight: 8.6 oz

Part # USRPSW

CMI Pulleys

With Stainless Steel Plates

High strength in a compact design. Stainless Steel sideplates, 2-3/8" Aluminum sheave, bearing and Stainless Steel axle

Part #	Tensile	Rope Capacity	Size (W x H)	Weight	Efficiency
RP104	8,500 lbs	5/8"	4.25" x 3.25"	0.65 lbs	95.6%

Single Sheave Micro Pulley

Rescue model. Purple anodized Aluminum sideplates, 1-1/4" Aluminum sheave, bushing and stainless steel axle.

Part #	Tensile	Rope Capacity	Size (W x H)	Weight	Efficiency
RP110	7,000 lbs	1/2"	2.75" x 1.85"	0.15 lbs	84.1%

Glide Pulley

Continuous sideplate allows multiple rigging options: parallel to the rope with a single oval carabiner, or perpendicular through the rigging holes. Anodized Aluminum sideplates, 1-1/4" Aluminum sheave, bushing and Stainless Steel axle.

Part #	Tensile	Rope Capacity	Size (W x H)	Weight	Efficiency
RP140	7,000 lbs	1/2"	2.5" x 1.75"	0.2 lbs	n/r

Micro Mouse

Ideal for arborist rigging where two independent tie-ins are required. Purple Anodized Aluminum sideplates, 1-1/4" Aluminum sheave, bushing and Stainless Steel axle.

Part #	Tensile	Rope Capacity	Size (W x H)	Weight	Efficiency
RP141	7,000 lbs	1/2"	2.75" x 2.75"	0.2 lbs	n/r

CMI Stainless Steel Rigging Blocks

The CMI "Heavy Duty" pulleys continue to be regarded as some of the strongest and most reliable pulleys available. The RP130 and RP131 are designed specifically to be used in false crotch systems to save wear and tear on bull ropes.

Part #	Max. line	Tensile	Working Load	Weight
RP130	5/8"	28,000 lbs	4,000 lbs	2.25 lbs
RP131	3/4"	40,000 lbs	6,000 lbs	5.38 lbs

RP130

RP131

Arbormaster® Friction Saver

- Install and retrieve from the ground
- Less bend radius
- Less friction - easier to climb
- Reduced wear to rope
- Can be used as false crotch
- Rated to 5,000 lbs. - for human support only
- Hardcoat anodized aluminum

Part #	Length
57-48	48”
57-60	60”



Friction/Cambium Saver

- Constructed from ½” dia 16-strand polyester rope
- 5,000 lb. tensile
- 28 mm dia. small aluminum ring
- 46 mm dia. large aluminum ring
- 2 lengths: 36” and 72”

Part #	Length
RF5201	36”
RF5203	72”

Nylon Loop Runners

Constructed of tabular nylon webbing, these loop runners serve as medium-duty choker straps for tree work and climbing.

Part #	Length	Breaking Strength	Safe Working Load
0898230OY	12”	7,000 lbs	1,400 lbs
0898231BO	24”	7,000 lbs	1,400 lbs
0898232OY	30”	7,000 lbs	1,400 lbs
0898233BO	36”	7,000 lbs	1,400 lbs
0898234BO	46”	7,000 lbs	1,400 lbs



False Crotch Block Sling
With KONG Alby Pulley

Kit features 3/4” bull rope with KONG #839 ALBY aluminum block. Rope is doublebraid/composite construction of polyester cover over nylon core for higher tensile strength and better shock load performance. Yellow urethane coated for abrasion resistance. These slings have a 6” eye splice on one end with chaff guard.

Part # FCBS16

Aluminum Rigging Blocks

WITH STAINLESS STEEL SHEAVE AND BUSHING PINS AND AN EPOXY POLYESTER COATING OVER ALUMINUM.

Part # 50007S
- 5/8" line 7"x 4" (18 x 10cm) 3-1/4 lbs.
- Tensile tested to 22,500 lbs.
- Safe working load is 4,496 lbs.

Part # 50007L
- 3/4" line 9"x 5" (22 x 12cm) 5 lbs.
- Tensile tested to 22,500 lbs.
- Safe working load is 4,496 lbs.

Pelican Dead Eye Slings

Double-braid/composite construction of polyester cover over nylon core for higher tensile strength and better shock load performance. The slings are coated with urethane for abrasion resistance. These slings have a 6” eye on one end with a heavy duty chafe guard.

Part #	MM	Dia.	Length	Tensile (lbs)
ADE20C5-10E	16mm	5/8"	10'	15,300
ADE20C5-15E	16mm	5/8"	15'	15,300
ADE24CY-15E	19mm	3/4"	15'	25,700
ADE24CY-18E	19mm	3/4"	18'	25,700

Adjustable Whoopie Sling

Whoopie Slings are adjustable lifting slings that have a permanent eye at one end and an adjustable eye at the other end to accommodate a wide range of lifting requirements.

Part #	Description	
WS0328	1/2" Dia. X 2.5' to 4'	Length 2,200 cap. single leg
WS0404	5/8" Dia. X 3' to 5'	Length 3,200 cap. single leg
WS0486	3/4" Dia. X 3.5' to 7'	Length 4,200 cap. single leg
WS1062	3/4” Dia. X 3.5’ to 10’	Length 4,200 cap. single leg
WS1462	3/4” Dia. X 3.5’ to 14’	Length 4,200 cap. single leg

Port-A-Wrap III

- More user friendly, designed to make attachment of rigging line easier.
- Secure rope retention bar - eliminates loss of wrap.
- Stronger, more durable steel construction.
- Safe working load of 2,000 lbs.
- Smooth surface with no sharp edges.

Part # 601L
Large, powder coated
Rope size up to 3/4”

Part # 601LN
Large, nickel coated
Rope size up to 3/4”

Maasdam Pow-R-Pull

This rope ratchet device is used in the arborist industry to pull trees, logs, raise or lower loads and often to stretch fences. The "notch-at-a-time" rope ratcheting device has a maxium capacity of 1,500 lbs and can accommodate an unlimited length of rope. The Maasdam rope Pow-R-Pull is designed to be used with 1/2 three strand rope like Pro Master or Tree Master but can also be used with 1/2" braided ropes like Abor Plex, True Blue or True White. Rope is not included.

Part # A-O

Universal Series Full Body Harnesses

Elk River, Inc.
Personal Fall Protection

The Universal full body harnesses combine the simplicity of easy functional design with the economy of one size fits many users. Designed to fit most workers in the range of 130 to 310 pounds. This versatile and useful universal fit harness features spring-loaded adjustment buckles on the shoulder strap for easy adjustment and a comfortable custom fit.

Universal Harness

- One Steel D-ring: at back
- Parachute mating buckles on chest and leg straps
- Shoulder strap adjusters
- Made of polyester and nylon
- One size fits most workers in range of 130 to 310 lbs

Part # 42109

Class 1 1D

Flex-NoPac® Web Lanyard

Polyester Web, Energy-Absorbing lanyard

- 1-1/2" by 6'
- Zsnaphook Auto locking, fall rated snap hook on each end
- Stretches 4.5' to 6'

Part # 35427

Universal Harness

- One Steel D-ring: at back
- Parachute mating buckle on chest strap
- Tongue buckles on leg straps
- Shoulder strap adjusters
- Made of polyester and nylon
- One size fits most workers in range of 130 to 310 lbs

Part # 42159

Class 1 1D

Roofer Protection Kit

- One D-ring universal fit harness
- 5/8" x 30' Lifeline with attached rope grap and attached 2' ZORBER web lanyard with auto locking Zsnap hook.
- Reusable roof anchor with fastners.
- Storage bucket included
- Harness: one size fits most workers in range of 130 to 310 lbs

Part # 05100

Universal Harness

- Three Steel D-rings: at back and hips
- Parachute mating buckle on chest strap
- Tongue buckles on leg straps
- Shoulder strap adjusters
- Made of polyester and nylon
- One size fits most workers in range of 130 to 310 lbs

Part # 42359

Class 1 Class 2 3D

Roof Anchor Connector Kit

Reusable roof anchor kit with screws

Part # 13051

Weaver Leather Tool Holsters

Slip onto belt to keep tools handy

- Chain saw file and wrench style features a chap leather chain saw file holder and a 2" wide pocket that holds a chain saw wrench.
- Wedge, wrench and chain saw file style features a 3" wide pocket for a small or large wedge. Also has two chap leather holders for a chain saw file and chain saw wrench.
- Heavy-duty style has a 3-1/2" wide pocket that will hold two large wedges and one small wedge, a 2" wide pocket that holds a chain saw wrench and a chain saw file holder.

Part #	Description
0897230	Chain saw file and wrench, Red
0897231	Wedge, wrench and chain saw file, Red
0897235	Heavy-duty, two large wedges, one small wedge, chain saw file and wrench, Orange.

Ditty/First Aid Bag

Convenient design features a roomy ditty bag with a compact first aid bag attached to the front

- The 630-denier black nylon ditty bag features three snaps on the back for attachment to positioning saddles
- Elastic top provides easy access to small tools, short throw lines, gloves and other personal items you'd like to keep close at hand.
- The 1,000-denier red polyester first aid bag attached to the front features flaps that help protect contents from the elements.
- Measures 9" W x 9" H x 5" D with a 4" W x 5-1/2" H x 1-1/2" D first aid bag.
- Purchase Blood Stopper Bandage Pack separately (Part# 0807169)

Part # 0807134

First Aid Bag

Keep first aid necessities close at hand with this convenient first aid bag

- Handy 1,000-denier polyester bag measures 4" W x 5-1/2" H x 1-1/2" D.
- Attaches to middle back of saddle with a nickel plated snap.
- Red.
- Purchase Blood Stopper Bandage Pack separately (Part# 0807169)

Part # 0807170

Blood Stopper Bandage Pack

- This sterile universal dressing offers four functions.
- It can be used as a pressure pad for heavy bleeding, a protective dressing for superficial wounds, a burn dressing with a special wound protecting surface and a temporary support dressing.
- Each pack contains one pad (5.6" x 9.2") and two disposable elastic bandages (4" x 3.3 yards).

Part # 0807169

OREGON® CHAIN & BARS

OREGON® a world leader in saw chain, guide bars, sprockets and forestry accessories, and leading manufacturer and supplier of lawn mower blades and other outdoor equipment parts. There are over 8,000 performance driven, innovative products available.

The most popular loops and bars for all the major chainsaw brands; Husqvarna, Stihl, Echo, and all others are listed in this price file. Reference www.oregonchain.com or your local Oregon® dealer for fit-up information. The quick reference below is intended to get you started.

CHAIN TYPE	PITCH	DESCRIPTION	RECOMMENDED
90SG	3/8"	Low profile, narrow kerf chain	Up to 42CC
90S	3/8"	Low profile, narrow kerf chain	Up to 42CC
91VG	3/8"	Low profile, low-kickback chain	Up to 42CC
91VXL	3/8"	Low profile, professional chain	Up to 42CC
20,21,22BPX	.325"	Micro-Chisel®, low kickback chain	38 to 62CC
20,21,22LPX	.325"	Super chisel chain	38 to 62CC
95VP	.325"	Micro-Lite™, low-kickback chain	35 to 57CC
72,73,75 LPX	3/8"	Super chisel chain	50 to 100CC
72,73,75 LGX	3/8"	Super chisel chain	50 to 100CC

BAR TYPE	PITCH	DESCRIPTION	RECOMMENDED
Power Match® RSN*	.325" 3/8" .404"	Solid body bar with replaceable sprocket nose	58CC and larger
Laser-Tip Plus	.325" 3/8" .404"	Solid body bar with solid nose	38CC and larger
Pro-Lite®	.325" 3/8"	Laminated body bar with replaceable sprocket nose	38 to 65CC
Micro-Lite® Pro (95VP only)	.325"	Laminated body bar with replaceable sprocket nose	35 to 45CC
Pro 91	3/8"	Laminated body bar with non-replaceable nose sprocket	41CC and smaller
Double Guard® 91 Double Guard® 91 Intenz Double Guard® 25	1/4" 3/8"	Laminated body bar with non-replaceable nose sprocket	Electric or 38CC and smaller Electric or 41CC and smaller
Micro-Lite® Micro-Lite® Intenz (90SG and 90S only)	3/8" .325"	Laminated body bar with non-replaceable nose sprocket	Electric or 40CC and smaller 35 to 57CC

*Replaceable sprocket tip

PowerSharp®

PowerSharp® is an easy-to-use, precision sharpening system that gives chain saw users the power to sharpen their chain in a matter of seconds with a simple-to-use attachment.

Part #	Description	Chainsaw Manufacturer	Motor Mount
541219 can use #541650	Includes 14" bar, sharpener, stone and 50 drive link chain	Stihl	A074
541220 can use #541652	Includes 14" bar, sharpener, stone and 52 drive link chain	Husqvarna, Echo, Tanaka, Redmax, Homelite, Poulan, Craftsman, Sears, John Deere, Efco	A041
544852	Includes 14" bar, sharpener, stone and 52 drive link chain	Husqvarna	A095
541221 can use #541655	Includes 16" bar, sharpener, stone and 55 drive link chain	Stihl	A074
541222 can use #541656	Includes 16" bar, sharpener, stone and 56 drive link chain	Husqvarna, Echo, Tanaka, Redmax, Homelite, Poulan, Craftsman, Sears, John Deere, Efco	A041
544856	Includes 16" bar, sharpener, stone and 56 drive link chain	Husqvarna	A095
541223 can use #541662	Includes 18" bar, sharpener, stone and 62 drive link chain	Husqvarna, Echo, Tanaka, Redmax, Homelite, Poulan, Craftsman, Sears, John Deere, Efco	A041

Bench Chain Grinder

- Includes three wheels:
  OR534-14, 1/4"
  OR534-18, 1/8"
  OR534-316, 3/16"
- Sharpens these pitches of round-ground chains: 1/4", .325", 3/8", .404", 1/2", 3/4"

Part # 511AX

Bench Chain Grinder

- Includes three wheels:
  OR534-14, 1/4"
  OR534-18, 1/8"
  OR534-316, 3/16"
- Sharpens these pitches of round-ground chains: 1/4", .325", 3/8", .404"

Part # 510A

Oregon® Grinding Wheels

These high-quality vitrified grinding wheels are specifically designed for use on full-size OREGON® grinders, part numbers: 511AX, 511A, 511A-BC, and 109719. OREGON® wheels resist burning of the cutters and leave a precision finish. Now available in new individual display-ready packaging. Fits 7/8" shaft diameter.

Part #	Thickness	For chain types
OR534-18A	1/8" (3.2mm)	1/4", .325" (33, 34, 35 chains only), 90 and 91
OR534-316A	3/16" (4.8mm)	.325" (20, 21, 22, 95 chains only), 3/8" (all except 90 & 91 chains), .404"
OR534-516A	5/16" (7.9 mm)	3/4" pitch and depth gauges

File Guides

Part #	Description
31686	7/32" Assembled File Guide
31690	3/16" Assembled File Guide
31692	4.5 mm Assembled File Guide
37534	5/32" Assembled File Guide

Files

Part #	Description
70502	7/32" X 8" Round File (12 Pack)
70503	3/16" x 8" Round File (12 Pack)
70504	5/32" x 8" Round File (12 Pack)
70511	4.5mm X 8" Round File (12 Pack)
90410	5/16" x 8" Round File (6 Pack)
12211	6" Flat depth gauge file (12 Pack)

12 Volt Electric Sure Sharp®

A durable, economical tool that makes hand-sharpening easy.

Part # 28588A

- Rugged, reliable • Withstands periods of extended use
- Runs on a standard 12-volt auto-type battery or connect using an automobile power adapter
- Sharpens any round-ground 90, 91, 1/4", .325", 3/8" or .404"-pitch chain
- New shank lock feature allows for easier stone replacement
- Includes: three sizes of sharpening stones (5/32", 3/16", 7/32"), and a collet wrench.

Bench Model Chain Breaker

Drives out rivets from 90, 91, 1/4", .325", 3/8", and .404" pitch chains. Replacement parts available separately.

Part # 24548A

Bench Model Rivet Spinner

- The basic tool for joining chain loops.
- Produces consistent rivet spins
- Minimizes risk of chain breakage
- Complete unit includes: "A" and "B" anvils, plus both "A" and "B" takeup handles

Part # 24549A

Oregon® Forestry Tool Vest

FEATURES

- Made of high visibility orange twill material
- Radio or cell phone pocket with pen holder
- Zippered side pocket
- Metal D-rings for loggers tape
- Wedge, scrench, and file pockets.
- Wedge pockets are 10.5" deep and may hold up to 6 wedges.
- Two zippered side pockets to carry first aid kit or spare chain

Part #	Description
539069L	Large Forestry Tool Vest
539069XL	X-Large Forestry Tool Vest
539069XXL	XX-Large Forestry Tool Vest

Oregon® Professional Helmet

Part #	Description
535528	Professional Helmet
Replacement Parts	
536598	Ratcheting earmuff attachment
536600	Earmuffs
295385S	Visor
533213	Neck protection
535849	Hygiene kit for earmuffs
536599	Six-point suspension kit
535846	Sweatband

Elvex Pro Guard Helmet

FEATURES:

- Six point ratchet system with nylon webbing
- Low profile ear muffs
- Nylon visor

Part # CU-30R

Oregon® Apron Chaps

FEATURES

- Multi-layer Engtex® protective material — UL® Classified
- The waist buckle is adjustable from 30" to 42". The optional Waist Extender will fit waists up to 54".
- Water and oil resistant nylon
- Measure the size of your chaps from the waist down
- Interlocking leg buckles keep chaps in place
- Machine wash and dry

Part #	Description
538464-32	32" Length—Apron Safety Chaps (US)
538464-36	36" Length—Apron Safety Chaps (US)
538464-40	40" Length—Apron Safety Chaps (US)

Elvex 90 Series Pro Chaps

- Patented asymmetric design provides extended protection on the left side of each leg, where most injuries occur (US Pat. #5,095,544).
- The 90 series chaps conform to ASTM requirements as well as APA Class A requirements.
- Lightweight, flexible and strong 420 denier nylon cover fabric.
- Easy on, easy off apron-style design.
- Quick release buckles for waist and legs.
- A zippered front pocket is a standard feature not found on other brands.

Part #	Description
JE-9028	28" Length
JE-9033	33" Length
JE-9036	36" Length
JE-9039	39" Length

Oregon® Safety Glasses

Part #	Temple Color	Inset Color	Lens Color
42-141	Black	Clear	Clear
42-142	Silver	Gray	Gray
42-143	Black	Amber	Amber
42-144	Black	Pacific Blue	Pacific Blue
42-145	Black	Orange	Orange
42-146	Silver	Gray	Silver Mirror
42-147	Black	Blue	Blue Mirror

Elvex Ear Plugs

Part #	Description
EP101	Unifit poly foam (200 per box)
EP113	PVC corded poly foam plugs (100 per box)
EP211	Unifit blue foam corded (100 per box)